

# MODERN STEEL™

garage doors



America's Favorite Garage Doors®



*Modern Steel™ / Modern Flush Panel; Shown in Black  
with Plain Long Windows Down Right Side*



Scan to view  
Modern Steel  
photo gallery


*Modern Steel™ / Modern Flush Panel; Shown in Black  
with Plain Long Windows in all panel locations*



# MODERN STEEL™

Whether it's a modern makeover or a retro redo, our Modern Steel™ garage doors come in many low-maintenance styles to boost your home's curb appeal. Let your creativity flow as you design a door with or without grooves, add square, rectangular or contemporary slim windows in a unique layout, or keep it sleek with a solid flush panel motif. All are available in multiple paint colors, as well as Ultra-Grain® wood-look and Lustra™ matte finishes to match the look for your home.

# MODEL AVAILABILITY



## DOOR DESIGNS

Door design examples shown at 9' wide x 8' high  
Available window options listed below model number  
(See back cover for examples of window options)

TEXTURE	3-LAYER				2-LAYER	1-LAYER																		
	2" Polyurethane 18.4 R-value	1-3/8" Polyurethane 12.9 R-value	2" Bonded Polystyrene 9.0 R-value	1-3/8" Bonded Polystyrene 6.5 R-value	1-5/16" Polystyrene 6.3 R-value	Non-Insulated																		
<b>MODERN FLUSH</b> <i>Door constructed using 24", 21" and 18" section heights</i>																								
 Solid Window Sections Woodgrain	9202 Contemporary Windows	9132 Contemporary Windows	4302 Contemporary Windows	4132 Contemporary Windows																				
<b>MODERN FLUSH</b> <i>Door constructed using 21" and 18" section heights</i>																								
 Solid Window Sections Woodgrain	9201 Contemporary and Decorative Windows	9131 Contemporary and Decorative Windows	4301 Contemporary and Decorative Windows	4051 Decorative Windows	T42F (24 Gauge Steel) Decorative Windows	T40F 4F (24 Gauge Steel) Decorative Windows																		
<b>MODERN FLUSH</b> <i>Door constructed using 24", 21" and 18" section heights</i>																								
 Solid Contemporary Windows Stucco**	9208 Contemporary and Slim Windows	9138 Contemporary Windows	4308 Contemporary and Slim Windows	4138 Contemporary Windows																				
<b>MODERN GROOVED</b> <i>Door constructed using 24", 21" and 18" section heights</i>																								
 Solid Window Sections Stucco*	9205 Contemporary Windows		4305 Contemporary Windows																					
<b>MODERN GROOVED</b> <i>Door constructed using 24" and 21" section heights</i>																								
 Solid Contemporary Windows Stucco**	9209 Contemporary and Slim Windows	9139 Contemporary Windows	4309 Contemporary and Slim Windows																					
<b>COLOR AVAILABILITY</b>	Standard White	Almond	Desert Tan	Sandtone	Bronze	Chocolate	Mocha Brown	Hunter Green	Gray	Charcoal	Black	Lustra Black	Lustra Charcoal	Lustra Silver	Ultra-Grain Cypress Medium	Ultra-Grain Cypress Cherry	Ultra-Grain Cypress Walnut	Ultra-Grain Cypress Slate	Ultra-Grain Plank Coastal Gray	Ultra-Grain Plank Natural	Ultra-Grain Plank Cedar	Ultra-Grain Plank Kona	Ultra-Grain Plank Barnwood	Ultra-Grain Plank Espresso
9202, 9205	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9208	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9209	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9201	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9132, 9138, 9139	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
9131	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4302, 4305, 4308, 4309	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4301	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4132	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4051	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4138	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
T42F, T40F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
4F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.

\* Exterior steel surface on Ultra-Grain® Cypress finish door has a woodgrain texture.

† Exterior steel surface on a Lustra™ finish door has a subtle matte texture on a smooth flush panel.

## STANDARD COLORS



- Exterior steel surface on standard color doors has either a stucco or woodgrain embossed texture depending on the model (see chart on page 3 for details).
- Doors can be painted using a high-quality latex exterior paint. Do not use oil-based paint.


*\*Additional charges apply.*

*Due to the printing process, colors may vary.*

*Order free color samples at [www.clopaydoor.com/requestcolorssamples](http://www.clopaydoor.com/requestcolorssamples).*

*Not all colors available on all models. See previous page for availability.*

## ULTRA-GRAIN® FINISH



- Low maintenance, stained wood-look steel door with less upkeep.
- Exterior steel surface has an embossed woodgrain texture with horizontal Cypress Ultra-Grain.
- Window frames, grilles and inserts are painted a solid color to complement Ultra-Grain® finishes.

*Due to the printing process, colors may vary.*

*Order free color samples at [www.clopaydoor.com/requestcolorssamples](http://www.clopaydoor.com/requestcolorssamples).*

*Not all colors available on all models. See previous page for availability.*

*Additional charges apply.*

## CUSTOM PAINT OPTION



Choose from over 1,500 Sherwin-Williams® paint colors to complement your home with Clopay's Color Blast® factory-finishing option. Our durable two-part paint system is tested and backed by a five-year warranty.

## LUSTRA™ FINISH



Prefer a different look than an embossed woodgrain or stucco steel surface texture? Lustra™ is a low-gloss matte finish available in Black, Charcoal and Silver. Paired with contemporary slim windows or as a solid door, it's easy to create an eye-catching facade that's both energy efficient and durable.

- Door features 24 gauge flush panel steel exterior.
- Window frames, grilles and inserts are painted a solid color to complement Lustra finishes.
- Due to the unique matte finish texture, Lustra™ doors cannot be painted a different color.


*Due to the printing process, colors may vary.*

*Order free color samples at [www.clopaydoor.com/requestcolorssamples](http://www.clopaydoor.com/requestcolorssamples).*

*Not all colors available on all models. See previous page for availability.*

*Additional charges apply.*

## ULTRA-GRAIN® PLANK



Rustic meets modern on this unique flush panel steel door design featuring digitally printed horizontal planks with a wood-look appearance. The planks vary in length with no repeating grain pattern and a nice tonal variation for visual interest.

- Complements mid-century, farmhouse, coastal cottage and transitional home styles.
- Steel surface has an embossed stucco texture.
- Window frames are painted a solid color to complement Ultra-Grain® finishes or come in contrasting Silver and Black accent colors.

*Due to the printing process, colors may vary.*

*Order free color samples at [www.clopaydoor.com/requestcolorssamples](http://www.clopaydoor.com/requestcolorssamples).*

*Not all colors available on all models. See previous page for availability.*

*Additional charges apply.*

Modern Steel™ / Modern Flush Panel;  
Shown in Ultra-Grain® Plank Kona Finish



## HIGH R-VALUES

Delivering high R-values, our proprietary Intellicore® polyurethane foam insulated doors are stronger, quieter and save on energy use year-round. Your garage will feel 10 – 20 degrees warmer in the winter and cooler in the summer.

**intellicore**<sup>®</sup>  
insulation technology



**ENERGY EFFICIENCY**  
Provides year-round comfort

**20.4 R-VALUE**  
Highest R-value in its class

**NOISE LEVEL**  
Dense insulation reduces operating noise

**THERMAL BREAK**  
Separates steel skins to improve energy efficiency

**DURABILITY**  
Enhanced strength reduces dents

**RUST PREVENTION**  
Layered coating system helps protect steel finish

*Thermal break is not present on 4051, 2-layer and 1-layer models.*

## ADDITIONAL FEATURES

- Tongue-and-groove section joints keep out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" thick polystyrene and all Intellicore® insulated doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Durable, color-matched exterior step plate/lift handles allow for safe and convenient opening and closing.
- Window grilles are removable for easy cleaning.
- Built-in WindCode® door reinforcement available for high wind load applications.

*Refer to your door's Care and Maintenance Manual for additional information.*

## RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

## ENVIRONMENTAL ASSURANCE

All Clopay doors are compliant with environmental laws and regulations and do not contain HFCs:

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft<sup>2</sup> or less (IECC, Section C402.5.2).

## WARRANTIES

PAINT SYSTEM	WINDOW	HARDWARE
LIMITED <b>LIFE</b> WARRANTY	LIMITED <b>10YR</b> WARRANTY	LIMITED <b>3YR</b> WARRANTY

*Modern Steel™ / Modern Grooved Panel; Shown in Ultra-Grain® Cypress Medium Finish with Contemporary Slim Frosted Windows and Black Frames Down Left Side*



*Modern Steel™ / Modern Flush Panel; Shown in Black Finish with Plain Long Windows Down Left Side*

# POPULAR CONTEMPORARY WINDOW CONFIGURATIONS


Modern Steel doors can be designed with short, long or contemporary slim windows in many configurations including vertically stacked down one side of the door, stacked on both sides of the door, and placed in all sections. The window placement must be the same in every panel on doors with multiple window sections.

When configuring contemporary window placement, please refer to the examples provided to indicate the desired location. The illustrations show windows and solid sections from the outside of the garage. The ordering codes listed beneath are from the inside of the garage looking out as described below.


**SOL**=Solid (no window) location  
**GL**=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

Example: Windows down right side  
 (from inside garage looking out)




View from Inside Garage




View from Outside Garage

## SHORT WINDOW CONFIGURATIONS (Viewed from outside)



SOL-SOL-SOL-GL  
 Sections: 1, 2, 3, 4

SOL-SOL-SOL-SOL-SOL-SOL-SOL-GL-GL  
 Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL  
 Sections: 1, 2, 3, 4

GL-GL-SOL-SOL-SOL-SOL-SOL-SOL  
 Sections: 1, 2, 3, 4



GL-SOL-SOL-GL  
 Sections: 3, 4

GL-GL-SOL-SOL-SOL-SOL-SOL-GL-GL  
 Sections: 3, 4



GL-GL-GL-GL  
 Sections: 1, 2, 3, 4


GL-GL-GL-GL-GL-GL-GL-GL-GL  
 Sections: 1, 2, 3, 4

## LONG WINDOW CONFIGURATIONS (Viewed from outside)




SOL-GL  
 Sections: 1, 2, 3, 4

SOL-SOL-SOL-GL  
 Sections: 1, 2, 3, 4




GL-SOL  
 Sections: 1, 2, 3, 4

GL-SOL-SOL-SOL  
 Sections: 1, 2, 3, 4



GL-GL  
 Sections: 3, 4

GL-GL-GL-GL  
 Sections: 3, 4



GL-GL  
 Sections: 1, 2, 3, 4


GL-GL-GL-GL  
 Sections: 1, 2, 3, 4

## SLIM WINDOW CONFIGURATIONS (Viewed from outside)



SOL-GL  
 Sections: 1, 2, 3, 4

SOL-SOL-SOL-GL  
 Sections: 1, 2, 3, 4



GL-SOL  
 Sections: 1, 2, 3, 4

GL-SOL-SOL-SOL  
 Sections: 1, 2, 3, 4



GL-GL  
 Sections: 3, 4

GL-GL-GL-GL  
 Sections: 3, 4



GL-GL  
 Sections: 1, 2, 3, 4

GL-GL-GL-GL  
 Sections: 1, 2, 3, 4

Window configurations shown above apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors use 24" and 21" section heights, allowing for these configurations.

Tempered glass options include:  
 Clear, Obscure, Narrow Reed, Frosted.

Slim window designs are only available with clear tempered or frosted tempered insulated glass.

Other glass types and custom glass are available.



Clear



Obscure



Narrow Reed



Frosted

# WINDOW OPTIONS


Windows bring natural light into the garage and enhance your home's curb appeal. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

## CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS

These windows feature a larger viewing area and are available on select models and door heights. Short windows are 19-1/2" x 16"; long windows are 42" x 16".


Available on These Models

- 9202 9139\*
- 9201 4302
- 9208\* 4301
- 9205 4308\*
- 9209\* 4305
- 9132 4309\*
- 9131 4132
- 9138\* 4138\*



\*Models available only with plain, rectangular grille and square grille windows.  
 †Ultra-Grain® Plank and Lustra™ finishes available only with plain windows.

Choose from single pane or insulated glass.



## CONTEMPORARY SLIM WINDOWS


Contemporary Slim windows have Mid-Century Modern appeal. The windows are 37" x 8" with aluminum frames powder coated in Silver or Black.

Available on These Models

- 9208 4308
- 9209 4309



Windows available with insulated tempered glass.



## DECORATIVE INSERT SERIES WINDOWS


UV-protected cellular plastic inserts snap into the inside or outside of the window frame for easy cleaning or to change designs. Windows are available in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" x 12"; long windows are 40-1/2" x 12".

Available on These Models

- 9201 T42F
- 9131 T40F
- 4301 4F
- 4051



Choose from single pane or insulated glass. Clear acrylic is also available.



† Shown with clear glass.  
 ‡ Sunset windows not available on Ultra-Grain® or Lustra™ finish doors. Additional charges for optional glass apply.  
 Acrylic windows require special cleaning. See care and maintenance manual.



Visit [clopaydoor.com](http://clopaydoor.com) or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.



©2024 Clopay Corporation. All rights reserved.

RSDR-MODERNSTEELSS-15\_REV0524



START DESIGNING YOUR NEW GARAGE DOOR OPEN CAMERA AND POINT!